




Revision Info.	
Rev	Change Description
A1	MINOR REVISION ~ updated model to standardized shank diameter



- NOTES:  
 1. REMOVE ALL BURRS AND SHARP EDGES.  
 2. MARK WITH PART NUMBER AND REVISION LETTER. (X)

THIRD ANGLE PROJECTION	UNLESS OTHERWISE SPECIFIED EXTERNAL RADIUS R INTERNAL FILLET R SURFACE FINISH 63 MAXIMUM	Author Vernon, Jon Engineer M. Foyreau Origination Date 6/29/2010 Modification Date 1/11/2022	 <b>The Lee Company</b> Industrial Microhydraulics Group Technical Center Westbrook, CT 06498 / U.S.A.	
CODE IDENT NO. NUMBER OS730	CRITICAL CHARACTERISTICS	MATL. A2 Tool Steel H.T. Rc- 55- 60		
Sheet Size B	PROPRIETARY NOTICE <small>This document contains confidential, trade secret information which is proprietary to The Lee Company, and is intended only for the use of the recipient. It is not to be reproduced, used, copied, or otherwise disseminated in any way without the written consent of The Lee Company, and its disclosure to others or reproduction of any part hereof, is prohibited. E.O. 12812, 18 U.S.C. 1832, and C.O.S.A. (CT) Chapter 665 sec. 55-59 from 95-58.</small>	FINISH	TITLE: INSTALLATION TOOL, 6mm VALVES	
		DIMENSIONS ARE IN INCHES TOLERANCES 2PL ±.01 3PL ±.003 4PL ±.0010 ANG ±2*	DO NOT SCALE DRAWING	-FMF / Used On- -Lee 6mm Valves
				PART # <b>CCRT0051078S</b> REV. State Released SHEET 1 of 1 SCALE: 1:1
				REV. <b>A1</b>